

Sheet <u>2</u> of <u>6</u>

Substitute Form PTO-1449 (Modified)		Attorney's Docket No. 06816/017003	Application No.
Information Disclosure Statement by Applicant (Use several sheets if necessary)		Applicant Eric R. Fossum. et al.	
		Filing Date June 27, 2000	Group Art Unit

Foreign Patent Documents or Published Foreign Patent Applications								
Examiner Initial	Desig. ID	Document Number	Publication Date	Country or Patent Office	Class	Subclass	Trans Yes	No_
	ABB							

		ocuments (include Author, Title, Date, and Place of Publication)
Examiner Initial	Desig.	Document
muoi	ACC	S. Chamberlain, "Photosensitivity and Scanning of Silicon Image Detector Arrays," IEEE J. Solid State Circuits, Vol. SC-4, No. 6, pp. 333-342 (December 1969)
	ADD	M. Aoki, et al., "2/3 Inch Format MOS Single-Chip Color Imager," IEEE Trans. On Electron Devices, Vol. ED-29, No. 4, pp. 745-750 (April 1982)
	AEE	J. Hynecek, "A New Device Architecture Suitable for High-Resolution and High-Performance Image Sensors," IEEE Trans. on Electron Devices, Vol. 35(5), pp. 646-652 (May 1988)
· · · · · ·	AFF	F. Andoh, et al., "A 250,000-Pixel Image Sensor with FET Amplification at Each Pixel for High- Speed Television Cameras," 1990 IEEE International Solid-State Circuits Conference, Digest of
<u>,,                                   </u>	AGG	N. Tanaka, et al., "A 310K Pixel Bipolar Imager (BASIS)," IEEE Trans. On Electron Devices, Vol. 37(4), pp. 964-971 (April 1990)
	АНН	K. Chen, et al., "PASIC: A Processor-A/D converter-Sensor Integrated Circuit," IEEE ISCAS, pp. 1705-1708 (1990)
	VII	O. Yadid-Pecht, et al., "A Random Access Photodiode Array for Intelligent Image Capture," IEEE Trans. on Electron Devices, Vol. 38, No. 8, pp. 1772-1780 (August 1991)
	AJJ	M. Kyomasu, "A New MOS Imager Using Photodiode as Current Source," IEEE Journal of Solid State Circuits, Vol. 26, No. 8, pp. 1116-1122 (August 1991)
	AKK	R. Forchheimer, et al., "MAPP2200 – A Second generation smart optical sensor," Proc. SPIE, Vol. 1659, pp. 2-11 (1992)
	ALL	C. Jansson, et al., "An Addressable 256 x 256 Photodiode Image Sensor Array with an 8-Bit Digital Output," Applied Integrated Circuits and Signal Processing, Vol. 4, pp. 37-49 (1993)
	AMM	H. Kawashima, et al., "A 1/4 Inch Format 250K Pixel Amplified MOS Image Sensor Using CMOS Process" IEEE IEDM Tech. Digest, pp. 22.4.1-22.4.4 (1993)
	ANN	S. Mendis, et al., "Design of a Low-Light-Level Image Sensor with On-chip Sigma-Delta Analog- to-Digital Conversion," SPIE, Charge Coupled Devices & Solid State Optical Sensors III, Vol. 19 pp. 31-39 (1993)
	A00	M. Sugawara, et al., "An Amplified MOS Imager Suited for Image Processing," 1994 IEEE International Solid-State Circuits Conference, Digest of Technical Papers, Session 13, Neural Networks and Image Sensors/Paper TP 13.6, pp. 228-229 (1994)
	APP	B. Fowler, et al., "A CMOS Area Image Sensors with Pixel-Level A/D Conversion," 1994 IEEE International Solid-State Circuits Conference, Digest of Technical Papers, Neural Networks and Image Sensors/Paper TP 13.5, pp. 226-227 (1994)
	AQQ	B. Pain, et al., "Approaches and analysis for on-focal-plane analog-to-digital conversion," Proc. SPIF Vol. 2226, pp. 208-218 (1994)
	ARR	A. Gruss, et al., "Integrated Sensor and Range-Finding Analog Signal Processor," IEEE Journal of Solid State Circuits, Vol. 26, No. 3, pp. 184-191 (March 1991)
	ASS	Renshaw, et al., "ASIC Image Sensors," Proc. IEEE ISCAS, pp. 3038-3041 (1990)

Examiner Signature

Date Considered

EXAMINER: Initials citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Substitute Disclosure Form (PTO-1449)





Sheet <u>3</u> of <u>6</u>

Modified) Patent and Trademark Office Information Disclosure Statement		Attorney's Docket No. 06816/017003	Application No.
	closure Statement	Applicant Eric R. Fossum, et al	
(Use several sh	eets if necessary)	Filing Date June 27, 2000	Group Art Unit

	Other Do	ocuments (include Author, Title, Date, and Place of Publication)
Examiner Initial	Desig. ID	Document
1	ATT	O. Vellacott, "CMOS in carnera," IEE Review, pp. 111-114 (May 1994)
-	AUU	I. Muirhead, "Developments in CMOS Camera Technology," published by: IEE, Savoy Place, London WC2R 0BL. UK. pp. 5/1-5/4 (1994)
	AVV	I. Takayanagi, et al., "A Multiple Output CMD Imager for Real-Time Image Processing," IEEE,
· <u> </u>	AWW	M. White, et al., "Characterization of Surface Channel CCD Image Arrays at Low Light Levels,"  IEEE Journal of Solid-State Circuits, Vol. SC-9, No. 1, pp. 1-13 (February 1974)
	AXX	W. Yang, et al., "A full-fill factor CCD imager with integrated signal processors," IEEE International Solid-State Circuits Conference Digest of Technical Papers," pp. 218-219 and 300 (February 16, 1990)
	AYY	R. Forchheimer, "Single-chip image sensors with a digital processor array," Journal of VLSI Signal Processing, Vol. 5, pp. 121-131 (1993)
1	AZZ	E. Fossum, et al., "Development of CMOS Active Pixel Image Sensors for Low Cost Commercial Applications," Conference Proceedings of NASA Technology 2004, pp. 1-2 (November 1994)
	AAAA	E. Fossum, et al., "Application of the active pixel sensor concept to guidance and navigation," SPIE, Vol. 1949, Space Guidance, Control and Tracking, paper 30, pp. 1-8 (1993)
	ABBB	E. Fossum, "Assessment of Image Sensor Technology for Future NASA Missions," Proceedings of the SPIF Vol. 2172. Charge-Coupled Devices and Solid-State Optical Sensors IV, pp. 1-16 (1994)
	ACCC	T. Kuriyama, et al., "A 1/3-in 270 000 Pixel CCD Image Sensor," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 949-953 (May 1991)
	ADDD	054_050 (Mov 1001)
	AEEE	H. Ando, et al., "A 1/2-in CCD Imager with Lateral Overflow-Gate Shutter," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 960-964 (May 1991)
	AFFF	A. Toyoda, et al., "A Novel Tungsten Light-Shield Structure for High-Density CCD Image Sensors," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 18 No. 5 pp. 965-968 (May 1991)
	AGGG	T. Ozaki, et al., "A Low-Noise Line-Amplified MOS Imaging Devices," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 969-975 (May 1991)
	АННН	M. Yamagishi, et al., "A 2 Million Pixel FIT-CCD Image Sensor for HDTV Camera Systems," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 076-080 (May 1991)
	Alli	E. Stevens, et al., "A 1-Megapixel, Progressive-Scan Image Sensor with Antiblooming Control and Lag-Free Operation," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors, "Vol. 38, No. 5, no. 981-988 (May 1991)
	LILLA	K. Matsumoto, et al., "The Operation Mechanism of a Charge Modulation Device (CMD) Image Sensor," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 989-998 (May 1991)

Examiner Signature	Date Considered
EXAMINER: Initials citation considered. Draw line through citation if no	of in conformance and not considered, include copy of this form with
next communication to applicant.	Substitute Disclosure Form (PTO-1449)





Sheet	4	of.	6

		Attorney's Docket No. 06816/017003	Application No.
	closure Statement oplicant	Applicant Eric R. Fossum, et al.	
	eets if necessary)	Filing Date June 27, 2000	Group Art Unit .

	Other Do	cuments (include Author, Title, Date, and Place of Publication)
Examiner	Desig.	
Initial	ו סי 📗	Document
		K. Matsumoto, et al., "Analysis of Operational Speed and Scaling Down the Pixel Size of a Charge
	AKKK	Modulation Device (CMD) Image Sensor," IEEE Transaction on Electron Devices, Special Issue on
		Solid State Image Sensors," Vol. 38, No. 5, pp. 999-1004 (May 1991)
	ALLL	M. Ogata, "A Small Pixel CMD Image Sensor," IEEE Transaction on Electron Devices, Special
	ALLE	Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 1005-1010 (May 1991)
	AMMM	Hynecek, "BCMD - An Improved Photosite Structure for High-Density Image Sensors," IEEE
	Alvarva	Transactions on Electron Devices, Vol., 38(5), pp. 1011-1020 (May 1991)
	<b>,</b> , , ,	T. Mizoguchi, et al "A 250 k-Pixel SIT Image Sensor Operating in its High-Sensitivity Mode."
	ANNN	IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors." Vol. 38, No. 5.
	<del>                                     </del>	pp. 1021-1027 (May 1991) Y. Nakamura, et al., "Design of Bipolar Imaging Device (BASIS)," IEEE Transaction on Electron
	A000	Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 1028-1036 (May 1991)
	1	M. Miyawaki, et al "Reduction of Fixed-Pattern Noise of BASIS Due to Low Kinetic Energy-
1	1	Reactive Ion to Low Kinetic Energy Reactive Ion and Native-Oxide-Free Processing," IEEE
ļ	APPP	Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp.
	ļ	1037-1043 (May 1991)
	-{	Y. Matsunaga, et al., "A High-Sensitivity MOS Photo-Transistor for Area Image Sensor," IEEE
	1	Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp.
	AQQQ	1044-1047 (May 1991)
		N. Murch, et al., "New Low-Noise Output Amplifier for High-Definition CCD Image Sensor," IEEE
İ	ARRR	Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp.
	A.GGC	1049-10551 (May 1991)
\		M. Tabel et al. "A New CCD Architecture of High-Resolution and Sensitivity for Color Digital
	ASSS	Still Picture," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors,"
ì		No. 39 No. 5 pp. 1057-1058 (May 1991)
		1 Bosiers et al. "A 2/3-in 1187(H) x 581(V) S-VHS-Compatible Frame-Transfer CCD for ESP and
ł	ATTT	Movie Mode," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors,"
		Vol. 38, No. 5, np. 1059-1068 (May 1991)
		B. Burke, "An Abunable CCD Imager for Visible and X-Ray Focal Plane Arrays," IEEE
	AUUU	Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp.
<u> </u>		1069-1076 (May 1991)
		E. Garcia, "CCD Arrays for Readout of Electrophotographic Latent Images," IEEE Transaction on
	AVVV	Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 1077-1085 (May
		1991)
		T. Kaneko, et al., "400 dpi Integrated Contact Type Linear Image Sensors with Poly-Si TFT's
AWWW	Analog Readout Circuits and Dynamic Shift Registers," IEEE Transaction on Electron Devices,	
		Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 1086-1093 (May 1991)
		C. K. Chen, et al., "Ultraviolet, Visible, and Infrared Response of PtSi Schottky-Barrier Detectors
	AXXX	Operated in the Front-Illuminated Mode," IEEE Transaction on Electron Devices, Special Issue on
		Solid State Image Sensors," Vol. 38, No. 5, pp. 1094-1103 (May 1991)
		R. B. Bailey, et al., "256 x 256 Hybrid HgCdTe Infrared Focal Plane Arrays," IEEE Transaction on
I	AYYY	
		1991)

Examiner Signature	Data Considered
	and a second legistic serve of this form with
EXAMINER: Initials citation considered. Draw line through citation if no	ot in conformance and not considered. Include copy of this form with
next communication to applicant.	C pathway Displace Form (DTC-1449)





Sheet <u>5</u> of <u>6</u>

Substitute Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Attorney's Docket No. 06816/017003	Application No.
		Applicant Eric R. Fossum, et al.	
	eets if necessary)	Filing Date June 27, 2000	Group Art Unit

	Other Do	cuments (include Author, Title, Date, and Place of Publication)	
Examiner Initial	Desig. ID	Document	
1, 1	AZZZ	H. Zogg, et al., "Infrared Sensor Arrays with 3-12 µm Cutoff Wavelengths in Heteroepitaxial Narrow-Gap Semiconductor on Silicon Substrates," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 1110-1117 (May 1991)	
	AAAAA	C. G. Bethea, et al., "10-\mu GaAs / AlGaAs Multiquantum Well Scanned Array Infrared Imaging Camera," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 1118-1123 (May 1991)	
	АВВВВ	L. J. Kozłowski, et al., "LWIR 128 x 128 GaAs / AlGaAs Multiple Quantum Well Hybrid Focal Plane Array," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 1124-1130 (May 1991)	
	ACCCC	M. Denda, et al., "4-Band x 4096-Element Schottky-Barrier Infrared Linear Image Sensor," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 1131-1135 (May 1991)	
	ADDDD	S: Tohyama, et al., "A New Concept Silicon Homojunction Infrared Sensor," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 1136-1140 (May 1991)	
	AEEEE	T-L Lin, et al., "SiGe / Si Heterojunction Internal Photoemission Long-Wavelength Infrared Detectors Fabricated by Molecular Beam Epitaxy," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors." Vol. 38, No. 5, pp. 1141-1144 (May 1991)	
·	AFFFF	M. Okuyama, et al., "Room-Temperature-Operated Infrared Image CCD Sensor Using Pyroelectric Gate Coupled by Dielectric Connector," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors." Vol. 38, No. 5, pp. 1145-1151 (May 1991)	
	AGGGG	J.G.C. Bakker, "Simple Analytical Expressions for the Fringing Field and Fringing-Field-Induced Transfer Time in Charge-Coupled Devices," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 1152-1161 (May 1991)	
	АННН	E. K. Banghart, et al., "A Model for Charge Transfer in Buried-Channel Charge-Couple Devices at Low Temperature," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 1162-1174 (May 1991)	
	AIIII	C. R. Hoople, et al, "Characteristics of Submicrometer Gaps in Buried-Channel CCD Structures," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 1175-1181 (May 1991)	
	AJJJJ	E.R. Fossum, et al., "Two-Dimesional Electron Gas Charge-Coupled Devices (2DEG-CCD's)," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 1182-1192 (May 1991)	
	AKKKK	I.C.C. Bakker et al. "The Tacking CCD: A New CCD Concept." IEEE Transaction on Electron	
	ALLLL	S. Takayama, et al., "A Dynamic Model of an a-Si:H Photoconductive Sensor," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 1201-1205	
	AMMM	P. Centen, "CCD On-Chip Amplifiers: Noise Performance versus MOS Transistor Dimensions," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 1206-1216 (May 1991)	
	ANNNN	N. Ozawa, et al., "A Correlative Coefficient Multiplying (CCM) Method for Chrominance Moire Reduction in Single-Chip Color Video Cameras," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 1217-1225 (May 1991)	
Examiner Si	gnature	Dale Considered	
EXAMINER:	Initials citatio	on considered. Draw line through citation if not in conformance and not considered, include copy of this form with	

next communication to applicant.

Substitute Disclosure Form (PTO-1449)



Sheet <u>6</u> of <u>6</u>

Substitute Disclosure Form (PTQ-1449)

	Substitute Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Attorney's Docket No. 06816/017003	Application No.	
Į	(Use several sheets if necessary)		Applicant Eric R. Fossum, et al.	•	
			Filing Date June 27, 2000	Group Art Unit	

	Other D	ocuments (include Author, Title, Date, and Place of Publication)
Examiner Initial	Desig. ID	Document
	A0000	Y.T. Tsai, "Color Image Compression for Single-Chip Cameras," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 1226-1232 (May 1991)
	АРРРР	P. Noble, "Self-Scanned Silicon Image Detector Arrays," IEEE Trans. on Electron Devices. Vol. ED-15, No. 4, pp. 202-209 (April 1968)
	AQQQQ	401. ED-20 (12), pp. 1970-1977 (December 1979)
	ARRRR	K. Matsumoto, et al., "A New MOS Phototransistor Operating in a Non-Destructive Readout Mode," Jpn. J. Appl. Phys., Vol. 24, No. 5, pp. L323-L325 (1985)
	ASSSS	H. Ando, et al., "Design Consideration and Performance of a New MOS Imaging Device," IEEE Trans. on Electron Devices, Vol. ED-32, No. 8, pp. 1484-1489 (August 1985)
	ATTTT	T. Nakamura, et al., "A New MOS Image Sensor Operating in a Non-Destructive Readout Mode," IEDM Tech. Dig., pp. 353-356 (1986)
	AUUUU	A. Yusa, et al., "SIT Image Sensor: Design Considerations and Characteristics" IEEE Trans. on Electron Devices, Vol. ED-33, No. 6, pp. 735-742 (June 1986)
	AVVVV	N. Tanaka, et al., "A Novel Bipolar Imagine Device with Self-Noise-Reduction Capability," IEEE Trans, on Electron Devices, Vol. 36(1), pp. 31-38 (January 1989)
	AWWW	Z. Huang, et al., "A Novel Amplified Image Sensor with a-Si:H Photoconductor and MOS Transistor," IEEE Trans. on Electron Devices, Vol. 37, No. 6, pp. 1432-1438 (June 1990)
	AXXXX	Y. Nakamura, et al., "Design of Bipolar Imaging Devices (BASIS): Analysis of Random Noise," IEEE Trans, on Electron Devices, Vol. 39(6), pp. 1341-1349 (June 1992)
	AYYYY	E. Fossum, "Active-pixel sensors challenge CCDs," Laser Focus World, Vol. 29, pp. 83-87 (June 1993)
	AZZZZ	S. Mendis, et al., "A 128 x 128 CMOS Active Pixel Image Sensor for Highly Integrated Imaging Systems," Proc. of the 1993 IEEE International Electron Devices Meeting, pp. 583-586 (1993)
	AAAAA	S. Mendis, et al., "Progress in CMOS Active Pixel Image Sensors," Proc. SPIE, Vol. 2172, pp. 19-29 (1994)
	ABBBB	S. Mendis, et al., "CMOS Active Pixel Image Sensor," IEEE Trans. on Electron Devices, Vol. 41, No. 3, pp. 452-453 (March 1994)
······································	ACCCC	T. Kinugasa, et al., "An Electronic Variable-Shutter System in Video Camera Use," IEEE Transactions on Consumer Electronics, Vol. CE-33, No. 3, pp. 249-255 (1987)
	ADDDD	S. Mendis, et al., "CMOS Active Pixel Image Sensor," Citation Unknown, pp. 1-7 (July 1993)

Examiner Signature	Date Considered	
Chan les through chattan if	and in conformance and not considered. Include crow of this form with	
EXAMINER: Initials citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with		